



TOSOH

SkillPak™ Columns

1 mL and 5 mL pre-packed



TOSOH BIOSCIENCE



NOMENCLATURE

What's in our names?

Tosoh Bioscience has the most comprehensive selection of process media resins, with a variety of pore and particle size combinations for several modes of chromatography. When it comes to naming our resins, we've got it down to a science (literally). Here's how you can identify the right resin for your purification process:

1. Resin Type

Tosoh Bioscience offers two base beads for our resin products: TOYOPEARL® and TSKgel®. TOYOPEARL and TSKgel products are hydroxylated methacrylic polymer resins and are offered in many different pore sizes and particle diameters. The key differences between the two types are particle size availability, degree of crosslinking, dynamic binding capacity, and operating pressures. Since similarly functionalized TOYOPEARL and TSKgel resins have the same backbone polymer chemistry, the selectivity remains the same as you scale up or down.

5. Additional Abbreviations

Some of our products have additional features or need clarification about what type of product they are.


We use the following abbreviations to highlight these features:

HC	High Capacity
AR	Alkaline Resistant
MX	Mixed-Mode
AF	Affinity
Super	High Capacity Ion Exchanger
MegaCap	High Capacity Ion Exchanger for Capturing
GigaCap	Ultra High Capacity Ion Exchanger

2. Ligand

TOYOPEARL or TSKgel resins are available in the following modes of chromatography functionalized with these ligands:

Mode	Ligand
HIC	Ether, PPG, Phenyl, Butyl, Hexyl
Anion Exchange	DEAE, QAE, Q, NH ₂
Cation Exchange	CM, SP, Sulfate
Antibody Affinity	rProtein A, rProtein L
Affinity	Tresyl, Epoxy, Formyl, Amino, Chelate, Red, Heparin, Carboxy
Mixed-Mode	Tryptophan (Trp)



4. Particle Size

Particle size is typically denoted in the product name as letters or numbers denoting the grade.

Particle size of TOYOPEARL and TSKgel resins (µm)

Grade	TOYOPEARL	TOYOPEARL GigaCap	TSKgel
EC	200		
C	100 (SEC resins are 75)		
M	65 (MX-Trp is 75)	75	
F	45		
S	35 (SEC resins are 30)	35	
(30)			30
(20)			20

3. Pore Size

TOYOPEARL or TSKgel resins are available in the following pore sizes:

TOYOPEARL and TSKgel resin number key

TOYOPEARL 550 resins	HW-55 base resin	50 nm pore size
TOYOPEARL 600 resins	HW-60 base resin	75 nm pore size
TOYOPEARL 650 resins	HW-65 base resin	100 nm pore size
TOYOPEARL 750 resins	HW-75 base resin	> 100 nm pore size
TSKgel 3PW resin	PW-3000 base resin	25 nm pore size
TSKgel 5PW resin	PW-5000 base resin	100 nm pore size

1
TOSOH BIOSCIENCE GMBH

IM LEUSCHNERPARK 4
64347 GRIESHEIM
GERMANY

T + 49 (0) 6155 70437 00
INFO.TBG@TOSOH.COM
WWW.TOSOHBIOSCIENCE.DE

2
TOSOH BIOSCIENCE LLC

3604 HORIZON DRIVE,
SUITE 100
KING OF PRUSSIA, PA 19406, USA

T +1 484 805 1219
INFO.TBL@TOSOH.COM
WWW.SEPARATIONS.US.TOSOHBIOSCIENCE.COM

3
TOSOH CORPORATION

3-8-2 SHIBA, MINATO-KU
TOKYO 105-8623
JAPAN

T +81 3 5427 5118
INFO@TOSOH.CO.JP
WWW.TOSOHBIOSCIENCE.COM



4
TOSOH BIOSCIENCE SHANGHAI CO. LTD.

ROOM 1001, INNOV.TOWER, BLOCK A,
1801 HONG MEI ROAD
XU HUI DISTRICT
SHANGHAI, 200233, CHINA

T +86 21 3461 0856
INFO@TOSOH.COM.CN
WWW.SEPARATIONS.ASIA.TOSOHBIOSCIENCE.COM

5
TOSOH ASIA PTE. LTD.

63 MARKET STREET #10-03
BANK OF SINGAPORE CENTRE
SINGAPORE 048942, SINGAPORE

T +65 6226 5106
INFO.TSAS@TOSOH.COM
WWW.SEPARATIONS.ASIA.TOSOHBIOSCIENCE.COM

6
TOSOH INDIA PVT. LTD.

E-302, LOTUS CORPORATE PARK, GRAHAM FIRTH COMPOUND
WESTERN EXPRESS HIGHWAY, GOREGAON (EAST)
MUMBAI- 400 063, INDIA

TEL: +91-22-614-85200
CONTACT@TOSOHINDIA.COM
WWW.TOSOHINDIA.COM

TOSOH HISTORY

- 1935 Founding of Toyo Soda Manufacturing Co., Ltd.
- 1936 Operation of Nanyo Manufacturing Complex begins
- 1979 Tosoh develops TOYOPEARL media
- 1983 First TOYOPEARL hydrophobic interaction (HIC) resin
- 1995 Tosoh Nanyo gel factory receives ISO9001
- 2007 TOYOPEARL GigaCap high capacity ion exchange series starts
- 2012 A second TOYOPEARL production site doubles manufacturing capacity
- 2012 First TOYOPEARL multimodal resin
- 2013 High capacity TOYOPEARL Protein A resin for antibody purification introduced
- 2014 TOSOH Bioscience GmbH celebrates its 25th anniversary
- 2016 First salt-tolerant TOYOPEARL ion exchanger
- 2016 TOYOPEARL® Sulfate-650F receives the TMM Innovation Award 2016
- 2017 High capacity TOYOPEARL Protein L resin for antibody purification introduced
- 2019 Completion of the third TOYOPEARL factory
- 2020 SkillPack pre-packed columns launched globally



FAST METHOD DEVELOPMENT

INTRODUCTION

SkillPak 1 and 5 mL columns are designed for fast method development, resin screening or sample concentration. Pre-packed with TOYOPEARL, TSKgel or Ca⁺⁺Pure-HA process chromatography media, these columns offer superior evaluation of biomolecules, such as monoclonal antibodies, proteins and oligonucleotides.

SkillPak 1 and 5 mL pre-packed columns are designed for your purification and separation tasks from platform design to pilot scale. These columns are ready to use upon receipt and show excellent physical strength and ideal flow characteristics for industrial downstream processing.

Tables 1 and 2 below list the properties and operation specifications of the SkillPak 1 and 5 mL columns. These columns guarantee optimal performance and can be operated with commonly used low or medium pressure liquid chromatography systems. They are reproducibly packed and take into account the varying compressibility of each resin. This provides an accurate representation of conditions found in full scale columns.

≡ TABLE 1

SPECIFICATIONS OF SkillPak 1 mL COLUMN

Column dimension	7 mm ID×2.5 cm bed height
Volume	1 mL
Maximum flow rate	4 mL/min (600 cm/hr)
Maximum operating pressure	0.3 MPa
Connections	Standard fittings (10-32 for 1/16 inch capillary)
Shipping buffer	20% ethanol for TOYOPEARL and TSKgel [with the exception of 0.5 mol/L sodium citrate with 20% ethanol for TSKgel SP-5PW (20) and SuperQ-5PW (20)], 20 mmol/L phosphate with 20% ethanol for Ca ⁺⁺ Pure-HA

APPLICATIONS

Design of Experiments (DoE) is a systematic method to determine the effects of various factors that can influence the output results. It is a technique used to generate the required information with the minimum amount of experimentation. Initial experiments are required in order to define the ranges for variables. DoE can be used for parameter screening and optimization as well as for robustness testing.

It is important to consider processing variables, including environmental constraints, early in the development of a purification process. SkillPak column formats are ideal to use for parameter and method optimization and for robustness testing for the development of a new or replacement purification process.

≡ TABLE 2

SPECIFICATIONS OF SkillPak 5 mL COLUMN

Column dimension	8 mm ID×10 cm bed height
Volume	5 mL
Standard flow rate	1.3 mL/min (150 cm/hr)
Maximum flow rate	5 mL/min (600 cm/hr) for TOYOPEARL M and C grade resins; 2.5 mL/min (300 cm/hr) for TOYOPEARL S-grade, TSKgel, Ca ⁺⁺ Pure-HA and TOYOPEARL F grade resins, including TOYOPEARL AF-rProtein A HC-650F, TOYOPEARL AF-rProtein L-650F
Maximum operating pressure	0.3 MPa for TOYOPEARL resins, ≤0.4 MPa for TSKgel resins and Ca ⁺⁺ Pure-HA
Connections	Standard fittings (10-32 for 1/16 inch capillary)
Shipping buffer	20% ethanol for TOYOPEARL and TSKgel, 20 mmol/L phosphate with 20% ethanol for Ca ⁺⁺ Pure-HA
Asymmetry factor (As) specifications	0.8-1.4 for TOYOPEARL and TSKgel, 0.8-2.6 for Ca ⁺⁺ Pure-HA

Method development for mAb purification: Determine elution pH for a mAb using SkillPak 1 mL and 5 mL columns

Finding the appropriate buffer and pH for mAb elution reduces the risk of increasing aggregation in the mAb sample. To identify optimized conditions for mAb binding and elution, a buffer-adjusted mAb containing hybridoma cell line supernatant was loaded onto a SkillPak 5 mL column pre-packed with TOYOPEARL AF-rProtein A HC-650F media.

CONDITIONS

Columns:	SkillPak 1 mL and 5 mL TOYOPEARL AF-rProtein A HC-650F
Equilibration buffer:	0.1 mol/L sodium phosphate, 0.15 mol/L NaCl, pH 7.3
Mobile phase A (gradient):	25 mmol/L citrate (NaOH), pH 4.5
Mobile phase B (gradient):	25 mmol/L citrate (NaOH), pH 3.0
Elution gradient:	Linear from gradient buffer A to 100% B over 10 CV
Flow (load):	0.25 mL/min (1 mL column); 1.5 mL/min (5 mL column)
Flow (wash, gradient):	1.0 mL/min (1 mL column); 2.0 mL/min (5 mL column) using ÄKTA™ avant 25
Samples:	2 mL of buffer-adjusted CHO cell culture supernatant containing 4 mg mAb (1 mL column); 14 mL of buffer-adjusted CHO cell culture supernatant containing 20 mg mAb (5 mL column)




FAST METHOD DEVELOPMENT

Figure 1, Panels A & B, demonstrate that a sharp mAb peak with elution max at pH 4.0 was obtained using a linear pH gradient. To maximize recovery, pH 3.5 was selected for step elution.

FIGURE 1

DETERMINATION OF ELUTION pH FOR mAb USING SkillPak 1 mL TOYOPEARL AF-rProtein A HC-650F COLUMN (PANEL A); SkillPak 5 mL TOYOPEARL AF-rProtein A HC-650F COLUMN (PANEL B)



Method development for mAb purification: capture of intact antibodies using SkillPak 5 mL column

340 mL of hybridoma cell line supernatant (titer ~0.03 g/L) was loaded on the SkillPak 5 mL column packed with TOYOPEARL AF-rProtein A HC 650F resin.


CONDITIONS

Column:	SkillPak 5 mL TOYOPEARL AF-rProtein A HC-650F
Equilibration buffer:	0.1 mol/L Na ₂ HPO ₄ /NaH ₂ PO ₄ , 0.15 mol/L NaCl, pH 7.3
Post-loading 1 st wash:	equilibration buffer (5 CV)
Post-loading 2 nd wash:	0.1 mol/L acetate (NaOH), pH 5.0 (5 CV)
Elution:	0.1 mol/L acetate (NaOH), pH 3.5 (5 CV)
Column strip:	0.1 mol/L acetic acid, pH 2.9 (3 CV)
Column cleaning:	0.2 mol/L NaOH (3 CV), 15 min hold
Flow (load):	150 cm/hr (1.25 mL/min), 4 min residence time
Flow (wash/elution):	240 cm/hr (2.0 mL/min) (ÄKTA avant 25)
Temperature:	ambient (room temperature)
Sample:	340 mL hybridoma cell culture supernatant (buffer-adjusted)

After a short wash at pH 5.0, a sharp and efficient elution peak was obtained at the start of the pH 3.5 elution (Figure 2). Total mAb recovery was 9.8 mg in the elution peak (4.8 mL).

FIGURE 2

CAPTURE OF INTACT mAb USING SkillPak 5 mL TOYOPEARL AF-rProtein A HC-650F COLUMN





FAST METHOD DEVELOPMENT


Method development for mAb purification: mAb eluate polishing using SkillPak 1 mL column

Eluate was prepared for a polishing step on a SkillPak 1 mL column packed with TOYOPEARL Sulfate-650F by adding four eluate volumes of 0.2 mol/L acetate, pH5.0. Aggregate and other impurities in the protein A eluate were removed by using the SkillPak 1 mL TOYOPEARL Sulfate-650F column. **Figure 3** shows an efficient elution of mAb at a 0.35 mol/L NaCl step in the equilibration buffer. Impurities were removed by the polishing step as can be seen before and after the elution of the mAb peak.

CONDITIONS

Column: SkillPak 1 mL TOYOPEARL Sulfate-650F
 Equilibration buffer: 0.1 mol/L acetate (NaOH), pH5.0
 Post-loading 1st wash: equilibration buffer (5 CV)
 Post-loading 2nd wash: 0.1 mol/L acetate (NaOH), 0.1 mol/L NaCl, pH5.0 (10 CV)
 Elution: 0.1 mol/L acetate (NaOH), 0.35 mol/L NaCl, pH5.0 (10 CV)
 Column strip: 0.1 mol/L acetate (NaOH), 1.0 mol/L NaCl, pH5.0 (7 CV)
 Flow (all steps): 156 cm/hr (1.0 mL/min) 4 min residence time (ÄKTA avant 25)
 Temperature: ambient (room temperature)
 Sample: 21 mL (0.41 mg total mAb) diluted protein A eluate

FIGURE 3 POLISHING CHROMATOGRAPHY USING SkillPak 1 mL TOYOPEARL Sulfate-650F COLUMN



Column reproducibility: capture of intact mAb using SkillPak 5 mL column

A SkillPak 5 mL column prepacked with TOYOPEARL AF-rProtein A HC-650F resin was loaded with 23.5 mg of mAb feedstock. After 10 cycles the average recovery was 91% (average yield was 21.3 mg) as shown in the table below. Both pH max for elution and yield were highly consistent throughout the 10 cycles.

Reproducibility of SkillPak 5 mL column for capture of intact mAb

Run #	Retention @ peak max (mL)	Peak area (mL*mAU)	Peak height (mAU)	pH @ peak max	Eluate A280 (1:10 dil.)	Eluate (mL)	Yield (mg)
1	102.1	6327	1599	3.57	0.309	9.62	21.9
2	102.1	6335	1587	3.57	0.299	9.79	21.5
3	102.2	6351	1577	3.56	0.312	9.34	21.4
4	102.1	6358	1620	3.57	0.296	9.60	20.9
5	102.3	6308	1572	3.56	0.290	9.86	21.0
6	102.0	6310	1619	3.57	0.298	9.56	20.9
7	102.0	6300	1630	3.55	0.300	9.45	20.8
8	102.0	6294	1622	3.54	0.298	9.51	20.8
9	102.1	6309	1605	3.53	0.312	9.65	22.1
10	102.2	6291	1596	3.57	0.307	9.71	21.9
Ave.	102.1	6318	1603	3.56			21.3
St.Dev.	0.1	23	20	0.01			0.5

ext. coefficient=1.36



FAST METHOD DEVELOPMENT

Method development for Fab purification: Capture of Fab antibodies using SkillPak 1 mL column

Humanized IgG1 was digested using a papain enzyme to obtain Fab, (see procedure below). 100µL of the papain-digested IgG1 which contains Fab material was loaded onto a SkillPak 1 mL column pre-packed with TOYOPEARL AF-rProtein L-650F resin.





Figure 4 shows that Fab from the digested humanized IgG1 was successfully captured by the SkillPak 1 mL TOYOPEARL AF-rProtein L-650F column. Fab was eluted at approximately 28 minutes.

FIGURE 4

CAPTURE OF Fab USING SkillPak 1 mL TOYOPEARL AF-rProtein L-650F COLUMN




Column: SkillPak 1 mL TOYOPEARL AF-rProtein L-650F
 Flow rate: 0.5 mL/min
 Mobile phase: A: 0.1 mol/L citrate buffer, pH 6.5
 B: 0.1 mol/L citrate buffer, pH 2.2
 Detection: UV @ 280 nm
 Sample: papain-digested human IgG1

The unbound peak (fraction 1) and the Fab peak (fraction 2) were captured and then analyzed using a (U)HPLC size exclusion chromatography column, TSKgel UP-SW3000. Figure 5 shows that only fraction 2 contained Fab material, as compared to the papain-digested IgG (reference material).

FIGURE 5

ANALYSIS OF CAPTURED Fab FROM THE DIGESTED IgG1 USING TSKgel UP-SW300



Column: TSKgel UP-SW3000, 2µm, 4.6 mm IDx30 cm L
 Flow rate: 0.5 mL/min
 Mobile phase: 50 mmol/L phosphate buffer + 0.2 mol/L NaCl, pH 6.8
 Detection: UV @ 280 nm
 Samples: fractions of protein L chromatography
 papain-digest of human IgG






FAST METHOD DEVELOPMENT





PACKING PERFORMANCE

SkillPak 1 mL and 5 mL columns exhibit excellent flow characteristics packed with specified process resins and are compatible with low to medium pressure chromatography systems. Small configurations reduce resin costs and save valuable samples while delivering similar performance to larger preparative process columns. The figures below demonstrate the superior packing performance for SkillPak 1 mL and 5 mL columns pre-packed with a variety of TOYOPEARL resins.

SkillPak 1 mL and 5 mL pre-packed with TOYOPEARL AF-rProtein L-650F and AF-rProtein A HC-650F affinity resins







SkillPak 1 mL and 5 mL pre-packed with TOYOPEARL NH₂-750F and Sulfate-650F ion exchange resins





FAST METHOD DEVELOPMENT

SkillPak 1 mL and 5 mL pre-packed with TOYOPEARL Phenyl-650M and Butyl-650M hydrophobic interaction chromatography resins



SkillPak™ 1 mL Instruction Manual for TOYOPEARL™, TSKgel™ and Ca++-Pure-HA™ Process Media

Introduction
SkillPak 1 mL columns (7 mm ID x 25 mm) are designed for resin screening, method development and sample concentration for biomolecules. These columns are pre-packed with TOYOPEARL, TSKgel or Ca++-Pure-HA process chromatography media and are designed to be operated with commonly used low or medium pressure liquid chromatography systems.

Product Description
The hardware of SkillPak 1 mL columns is composed of bio-compatible polymers. Thirty pre-options. Table 1 lists options and operation specifications for SkillPak 1 mL columns.

Instructions for Use
Installation
SkillPak 1 mL columns are ready to use upon receipt. Snap off end at outlet of column and screw directly into chromatography system. Connect inlet of column in instrument using 10-32 fitting. Fingertight is recommended.

Sample Injection
For sample injection, the column should be equilibrated with at least 10 column volumes of loading buffer. See Table 1 for flow rate and operating pressure. Increase flow until it reaches the desired running flow rate. Do not exceed recommended maximum flow rate.



ORDERING INFORMATION: SkillPak 1 mL COLUMNS

Part #	Description
Affinity Chromatography	
0045200	SkillPak TOYOPEARL AF-rProtein L-650F 1 mL column
0045221	SkillPak TOYOPEARL AF-rProtein L-650F 1 mL columns (qty. 5)
0045201	SkillPak TOYOPEARL AF-rProtein A HC-650F 1 mL column
0045222	SkillPak TOYOPEARL AF-rProtein A HC-650F 1 mL columns (qty. 5)
0045202	SkillPak TOYOPEARL AF-Chelate-650M 1 mL column
Ion Exchange Chromatography	
0045203	SkillPak TOYOPEARL GigaCap Q-650M 1 mL columns (qty. 5)
0045204	SkillPak TOYOPEARL GigaCap S-650S 1 mL columns (qty. 5)
0045205	SkillPak TOYOPEARL Sulfate-650F 1 mL columns (qty. 5)
0045206	SkillPak TOYOPEARL SuperQ-650S 1 mL columns (qty. 5)
0045207	SkillPak TSKgel SP-5PW (20) 1 mL columns (qty. 5)
0045208	SkillPak TSKgel SuperQ-5PW (20) 1 mL columns (qty. 5)
0045209	SkillPak TOYOPEARL NH ₂ -750F 1 mL columns (qty. 5)
0045210	SkillPak TOYOPEARL GigaCap DEAE-650M 1 mL columns (qty. 5)
0045211	SkillPak TOYOPEARL GigaCap CM-650M 1 mL columns (qty. 5)
0045212	SkillPak TOYOPEARL QAE-550C 1 mL columns (qty. 5)
0045213	SkillPak TOYOPEARL SP-550C 1 mL columns (qty. 5)
Hydrophobic Interaction Chromatography	
0045214	SkillPak TOYOPEARL Butyl-600M 1 mL columns (qty. 5)
0045215	SkillPak TOYOPEARL Butyl-650M 1 mL columns (qty. 5)
0045216	SkillPak TOYOPEARL Phenyl-600M 1 mL columns (qty. 5)
0045217	SkillPak TOYOPEARL Phenyl-650M 1 mL columns (qty. 5)
0045218	SkillPak TOYOPEARL PPG-600M 1 mL columns (qty. 5)
0045219	SkillPak TOYOPEARL Hexyl-650C 1 mL columns (qty. 5)
0045220	SkillPak TOYOPEARL Ether-650M 1 mL columns (qty. 5)
Mixed Mode Chromatography	
0045224	SkillPak TOYOPEARL MX-Trp-650M 1 mL columns (qty. 5)
Size Exclusion Chromatography	
0045223	SkillPak TOYOPEARL HW-40F 1 mL columns (qty. 5)
HA Chromatography	
0045225	SkillPak Ca ⁺⁺ Pure-HA 1 mL column
Column Libraries	
0045226	SkillPak Anion Exchange 1 mL column library, 1 mL × 2 each (TOYOPEARL GigaCap Q-650M, GigaCap DEAE-650M, NH ₂ -750F)
0045227	SkillPak Cation Exchange 1 mL column library, 1 mL × 2 each (TOYOPEARL GigaCap S-650S, GigaCap CM-650M, Sulfate-650F)
0045228	SkillPak Antibody 1 mL column library, 1 mL × 1 each (TOYOPEARL AF-rProtein A HC-650F, AF-rProtein L-650F, NH ₂ -750F, Sulfate-650F, GigaCapQ-650M, GigaCapS-650S)
0045229	SkillPak mAb Platform 1 mL column library, 1 mL × 2 each (TOYOPEARL AF-rProtein A HC-650F, Sulfate-650F, NH ₂ -750F)



ORDERING INFORMATION: SkillPak 1 mL COLUMNS, continued

Part #	Description
0045230	SkillPak Salt Tolerant 1 mL column library, 1 mL × 3 each (TOYOPEARL Sulfate-650F, NH ₂ -750F)
0045231	SkillPak Mixed Mode 1 mL column library, 1 mL × 3 each (Ca ⁺⁺ Pure-HA, TOYOPEARL MX-Trp-650M)
0045232	SkillPak Best-in-Class 1 mL column library, 1 mL × 1 each (Ca ⁺⁺ Pure-HA, TOYOPEARL AF-rProtein A HC-650F, AF-rProtein L-650F, NH ₂ -750F, Sulfate-650F)
0045233	SkillPak HIC 1 mL column library, 1 mL × 1 each (TOYOPEARL Butyl-650M, Phenyl-650M, PPG-600M, Hexyl-650C, Ether-650M)
0045234	SkillPak HIC 1 mL column library, 1 mL × 1 each (TOYOPEARL Butyl-600M, Phenyl-600M, PPG-600M, Hexyl-650C, Ether-650M)
0045235	SkillPak HIC 1 mL column library, 1 mL × 2 each (TOYOPEARL Butyl-650M, Phenyl-650M, PPG-600M)
0045236	SkillPak HIC 1 mL column library, 1 mL × 2 each (TOYOPEARL Butyl-600M, Phenyl-600M, PPG-600M)
0045237	SkillPak HIC 1 mL column library, 1 mL × 2 each (TOYOPEARL Phenyl-650M, PPG-600M, Hexyl-650C)
0045238	SkillPak HIC 1 mL column library, 1 mL × 2 each (TOYOPEARL Phenyl-600M, PPG-600M, Hexyl-650C)





ORDERING INFORMATION: SkillPak 5 mL COLUMNS

Part #	Description
Affinity Chromatography	
0045257	SkillPak TOYOPEARL AF-rProtein L-650F 5 mL column
0045258	SkillPak TOYOPEARL AF-rProtein A HC-650F 5 mL column
0045259	SkillPak TOYOPEARL AF-Chelate-650M 5 mL column
Ion Exchange Chromatography	
0045239	SkillPak TOYOPEARL GigaCap Q-650M 5 mL column
0045240	SkillPak TOYOPEARL GigaCap S-650S 5 mL column
0045241	SkillPak TOYOPEARL Sulfate-650F 5 mL column
0045242	SkillPak TOYOPEARL SuperQ-650S 5 mL column
0045243	SkillPak TSKgel SP-5PW (20) 5 mL column
0045244	SkillPak TSKgel SuperQ-5PW (20) 5 mL column
0045245	SkillPak TOYOPEARL NH ₂ -750F 5 mL column
0045246	SkillPak TOYOPEARL GigaCap DEAE-650M 5 mL column
0045247	SkillPak TOYOPEARL GigaCap CM-650M 5 mL column
0045248	SkillPak TOYOPEARL QAE-550C 5 mL column
0045249	SkillPak TOYOPEARL SP-550C 5 mL column
Hydrophobic Interaction Chromatography	
0045250	SkillPak TOYOPEARL Butyl-600M 5 mL column
0045251	SkillPak TOYOPEARL Butyl-650M 5 mL column
0045252	SkillPak TOYOPEARL Phenyl-600M 5 mL column
0045253	SkillPak TOYOPEARL Phenyl-650M 5 mL column
0045254	SkillPak TOYOPEARL PPG-600M 5 mL column
0045255	SkillPak TOYOPEARL Hexyl-650C 5 mL column
0045256	SkillPak TOYOPEARL Ether-650M 5 mL column
Mixed Mode Chromatography	
0045261	SkillPak TOYOPEARL MX-Trp-650M 5 mL column
Size Exclusion Chromatography	
0045260	SkillPak TOYOPEARL HW-40F 5 mL column
HA Chromatography	
0045262	SkillPak Ca ⁺⁺ Pure-HA 5 mL column
Column Libraries	
0045263	SkillPak mAb Platform 5 mL column library, 5 mL x 1 each (TOYOPEARL AF-rProtein A HC-650F, Sulfate-650F, NH ₂ -750F)
0045264	SkillPak Salt Tolerant 5 mL column library, 5 mL x 1 each (TOYOPEARL Sulfate-650F, NH ₂ -750F)
0045265	SkillPak Mixed Mode 5 mL column library, 5 mL x 1 each (Ca ⁺⁺ Pure-HA, TOYOPEARL MX-Trp-650M)
0045266	SkillPak Best-in-Class 5 mL column library, 5 mL x 1 each (Ca ⁺⁺ Pure-HA, TOYOPEARL AF-rProtein A HC-650F, AF-rProtein L-650F, NH ₂ -750F, Sulfate-650F)



TOSOH

TOSOH BIOSCIENCE

Im Leuschnerpark 4, 64347 Griesheim, Germany
Tel: +49 (0)6155 70437 00 Fax: +49 (0)6155 83579 - 00
info.tbg@tosoh.com www.tosohbioscience.de

B19P30A